

MT7

>

Top quality, modern design

LS Tractor MT7 is a unique series of the brand – it is characterized by modernity and versatility. It includes many premium features. The series is designed for different soil types, as well as the specific needs of farmers who need a robust and efficient vehicle for farm work. The MT 7 stands out for its excellent performance and reliability. Thanks to the use of innovative technology and the availability of attachments dedicated to LS tractors, this machine will be a reliable work partner.

Power and performance in one

One of the main distinguishing features of the LS Tractor MT7 is its **4-cylinder turbodiesel engine with 101 hp** and an engine displacement of **3595 cc**. It can generate impressive power, allowing it to perform a variety of agricultural tasks. It provides more power at the same time with lower fuel consumption and emissions. In addition, starting assistance through preheating allows the engine to start even at -20°C. On top of this, the large **115-liter** fuel tank will ensure long operating time between refills.

The LS Tractor MT7 has 6 hydraulic outlets in three sections, allowing a wide range of attachments to be connected to the tractor. Equipping the tractor with a **Cat II 3-point three-point linkage** with a lifting capacity of **3800 kg** and an independent PTO allows for versatile use of the tractor. In addition, this tractor has up to three PTO shaft speeds (540 / 540 ECO / 1000). Four-wheel drive and power steering make the MT7 the perfect work partner to suit your needs.

Innovative technology in LS Tractor MT7

Synchronized Power Shuttle transmission – facilitates quick direction changes without the use of a gearshift lever. To change direction, the operator only needs to use the reverse lever and clutch. This means that changing the forward or reverse direction is done with a simple movement of the lever, without having to shift gears or press the clutch pedal additionally. The clutch button is located on the main shift lever. So the clutch pedal is no longer needed. What is the effect of this? Smooth shifting, higher comfort and increased efficiency.

Comfort and safety

Thanks to the cab, working with the machine is possible all year round regardless of weather conditions. What's more! It is equipped with heating and air-conditioning, so the operator will work in comfort both in freezing and hot weather. Even if the tractor work is to be carried out at dusk or dawn, good quality lighting will allow comfortable and safe operation, as it contributes to high visibility of the tractor. Standard equipment includes wide side mirrors that guarantee a wide field of vision, as well as wipers that perform their function very well. The operator's comfort will be ensured by a comfortable, cushioned, two-stage adjustable seat with armrests and high backrest. A great asset is the soundproofed and lockable cab equipped with a radio. High-quality finishes throughout the tractor's interior will make you feel luxurious and safe.


Quick start

 101 KM

 196,7

 4x4

 Yes

 3606 kg (without ballast)

 Mechanical (MEC) / PST



Welcome to the world of LS Tractor



Welcome to the world of LS Tractor Specification

Model	MT7
Engine	4-cylinder, turbo-diesel, liquid-cooled
Drive	4x4 4WD
Engine model	Fiat (FPT) F36-75kW STAGE V
Power (hp)	101
Rated motor speed (rpm)	2200
Engine capacity (cm3/ccm)	3595
Transmission	Mechanical synchronized (MEC) / PST
Power steering	Yes
Number of forward/reverse gear ranges	MEC: 20 / 20 PST: 40 / 40
PTO (rear)	3 speeds: 540 / 540E / 1000; (independent PTO/PTO with wet clutch activated by a knob)
TUZ	3-point / Cat. II / Load capacity 3800 kg
Fuel tank capacity (L)	115

Driving speed (km/h)	Mech: 0,15 ~ 39,8 PST: 0,19 ~ 39,8
Hydraulic system : hydraulic outputs (pcs/number of sections)	6 / 3 (rear)
Trailer hitch	Bottom
Ground clearance (mm)	464
Type of front/rear tires	Agricultural: 12.4-24 / 16.9-34
Turning radius (mm)	3150
Brakes	Wet
Overall width with tires (mm)	1967
Wheelbase (mm)	2287
Armchair	Comfortable, cushioned with a high backrest
Weight (kg)	3606

×

Click to accept marketing cookies and enable this content

×

Click to accept marketing cookies and enable this content



Key features

Water-cooled 4-cylinder CRDI engine with 101 hp

power steering

3-point category II three-point linkage with a lifting capacity of 3800 kg

3 PTO/PTO speeds: 540 / 750 / 1000 rpm.

6 hydraulic outlets (3 at the front + 3 at the rear)

Power Shuttle transmission

Large fuel tank – 115 L will ensure long operating time between refills

Full-length factory grill guard protects body panels and radiator

Heavy-duty frame and lifting cylinders provide three-point lifting capacity of up to 2331 kg

Right-side cab access, allows operators to access both sides of the cab

Four rear working lights, provide significant illumination when working at night

Give me your number...

Enter your number

...and enter an email

Enter your email

☐ I consent to the processing of my personal data provided via the form on the terms set out in the privacy policy of the website www.lstractor.eu

SEND

Interested?
Don't delay.
Find your distributor.

Search for a city

Traktor.com.pl
Tajęcina 2KA, 36-002 Tajęcina, Poland
e-mail: info@traktor.com.pl
tel: +48178585858

 [Go to the dealer's website](#)

 [Show on map](#)

LAGERHOF
Podplat 6, 3241 Podplat, Slovenia
e-mail: suc.nejc@gmail.com
tel: +38 613 200 200

 [Go to the dealer's website](#)

 [Show on map](#)



CAMINEL SAS
1950 Avenue de l'Europe B.P. 20518, 82005 MONTAUBAN Cedex, France
e-mail: benoit.mezamat@gmail.com
tel: +0033 05 63 22 50 32

 [Go to the dealer's website](#)

 [Show on map](#)



HANWHA EUROPE GMBH

Kolner Str. 10, 65760 Eschborn, Germany
e-mail: kontakt@hanwha-ls.de
tel: +49 (0)6195-5016-22

-  [Go to the dealer's website](#)
-  [Show on map](#)



Oberto

Via Nicola Sasso 14, 12045 Fossano, Italy
e-mail: info@oberto.eu
tel: +39 0172 60216

-  [Go to the dealer's website](#)
-  [Show on map](#)


MOVITER EQUIPAMENTOS, S.A.

Parque Movicortes, 2404-006 Azoia, Leiria, Portugal
e-mail: moviter.maquinas@gmail.com
tel: +351 244 890 180

-  [Go to the dealer's website](#)
-  [Show on map](#)



Ozonteh Impex SRL

sos. Chisinau 69, E58, Strășeni, Chișinău 3701, Moldova
e-mail: Commercial@ozonteh.md
tel: +373 698 98 123

-  [Go to the dealer's website](#)
-  [Show on map](#)



Keiron Logistics SRL – Magazia lu’ Costica

Str. Strandului 70, Ploiești 100189, Romania
e-mail: licitatii@magazialucostica.ro
tel: +40 740 039 063

-  [Go to the dealer's website](#)
-  [Show on map](#)


Agrimac SA

9th km Thessaloniki – Kavala, Thessaloniki 572 00, Greece
e-mail: info@agrimac.gr
tel: +30 2310 555540

-  [Go to the dealer's website](#)
-  [Show on map](#)


SATNET LTD.

10 Svezhen str., 4300 Karlovo, Bulgaria
e-mail: panivangelova@gmail.com
tel: +359 888 111 777

-  [Go to the dealer's website](#)
-  [Show on map](#)

UAB Horo Mechanika

J. Basanavičius 101a, LT-76136, Šiauliai, Lithuania
e-mail: export@horomechanika.lt
tel: +37062064406

-  [Go to the dealer's website](#)
-  [Show on map](#)

LAGERHOF

Šiftarova ulica 58, 10310, Ivanić-Grad, Croatia
e-mail: suc.nejc@gmail.com
tel: +385 99 365 92 04

-  [Go to the dealer's website](#)

 [Show on map](#)

UAB Horo Mechanika

"Piebauskas", Codes pagasts, Bauskas novads, LV-3901, Latvia
e-mail: bauska@horomechanika.lv
tel: +371 25700520

 [Go to the dealer's website](#)

 [Show on map](#)

Agrovin

R1304, Vinica 2310, North Macedonia
e-mail: sasko.stanoevski.ss@gmail.com
tel: +389 75 388 899

 [Go to the dealer's website](#)

 [Show on map](#)

AGRO AB

Partizanski put b.b. Nikšić 81400, Montenegro
e-mail: agro.ab2006@gmail.com
tel: +382 69 309 544

 [Go to the dealer's website](#)

 [Show on map](#)

LS Nikolagrar

Bulevar 12 Februar 101 Niš, Serbia
e-mail: Anarad2208@gmail.com
tel: +381 692208347

 [Go to the dealer's website](#)

 [Show on map](#)

Other product series



11th floor, LS Tower, 127,
LS-ro, Dongan-gu, Anyang-si,
Gyeonggi-do, Korea (Republic of)

For client

- Equipment
- Brand
- Distributors
- Contact
- Models

[FAQ](#)

[Fan Store](#)

Contact

E-mail

info@lstractor.eu

Models

[XJ 25](#)

[MT1.25](#)

[MT3](#)

[XU](#)

[MT5](#)

[MT7](#)

All rights reserved for traktor.com.pl

Design and execution: iarea.pl

LS Tractor Europe