

MULTY 2

Telaio porta attrezzi doppio - Double multi frame tools
Cadre porte outils double - Geräteträger Doppelte

Attacco a tre punti frontale/reversibile (MULTY 2 / R)
Front/reversible three-point hitch (MULTY 2 / R)
Attelage trois points avant/réversible (MULTY 2 / R)
Dreipunktaufhängung vorne/umkehrbar (MULTY 2 / R)

Martinetti DX/SX - Di serie
R/L screw jacks - As standard
Vérins à vis D/G - De série
R/L Spindelhubtriebe - Als Standard

Piastra di fissaggio generica
Generic fixing plate
Plaque de fixation générique
Generische Befestigungsplatte

Ruote larghe regolabili meccanicamente DI SERIE
Mechanically adjustable large wheels AS STANDARD
Roues larges réglables mécaniquement DE SÉRIE
Mechanisch verstellbare breite Räder SERIENMÄSSIG

DI SERIE

Anteriore/Posteriore - Front / Rear
Avant/Arrière - Vorne/Hinten
MULTY 2 / P COMPACT
MULTY 2 / P

Trattore reversibile
Reversible tractor
Tracteur réversible
Reversibler Traktor
MULTY 2 / R

SOLO anteriore - ONLY front
SEULEMENT avant - NUR vorne
MULTY 2 / F

Necessita **SCARICO LIBERO** al trattore!
Needs **FREE RETURN LINE** to the tractor!
Necessite de **RETOURN LIBRE** a tracteur!
FREIES ÖL-ABFLUSSROHR erforderlich!



							
COD.	Version		cm	Movimenti - Movements - Mouvements - Bewegungen	Distributore	Oil - Pressure	Kg
1040800S	MULTY 2 / P COMPACT	Posteriore - Rear Arrière - Rückseite	30+30			10 lt/min 180 bar max	150
1040500S	MULTY 2 / P	Posteriore - Rear Arrière - Rückseite	45+45			10 lt/min 180 bar max	170
1040505S	MULTY 2 / P	Posteriore - Rear Arrière - Rückseite	55+55			10 lt/min 180 bar max	190
1040510S	MULTY 2 / R	Ant/Post/Rev - Front/Rear/Rev Avant/Arrière/Rev - Vor/Rück/Rev	45+45			10 lt/min 180 bar max	220
1040515S	MULTY 2 / R	Ant/Post/Rev - Front/Rear/Rev Avant/Arrière/Rev - Vor/Rück/Rev	55+55			10 lt/min 180 bar max	240
1040520S	MULTY 2 / F	Frontale - Front Avant - Vorderseite	45+45			10 lt/min 180 bar max	290
1040525S	MULTY 2 / F	Frontale - Front Avant - Vorderseite	55+55			10 lt/min 180 bar max	330


OPTIONAL	Descrizione - Description - Description - Beschreibung	Kg
1A4050000	Coppia inclinazione ad innesti rapidi al trattore DX/SX - ingombro + 20 cm Tilt torque with quick couplings to the R/L tractor - dimensions + 20 cm Vérin d'inclinaison avec accouplements rapides au tracteur D/G - dimensions + 20 cm Kippdrehmoment mit Schnellkupplungen zum R/L Traktor - Gesamtabmessungen + 20 cm	28
1A04004	Carrello ruote anteriori meccanico - Front wheels with mechanical adjustment Châssis de roues avant mécanique - Mechanischer Vorderradwagen	15
1A04007	Maggiorazione ruote in gomma - Extra charge rubber wheels Supplément roues en caoutchouc - Zuschlag für Gummiräder	NON PER - Not for - Pas pour - Nicht für COD. 1A04002
1A03507	Martinetto per ruote idrauliche ad innesti rapidi al trattore - Hydraulic wheel jack with quick coupling to the tractor Vérin hydraulique avec attelage rapide au tracteur - Hydraulischer Radheber mit Schnellkupplung an den Traktor NON PER - Not for - Pas pour - Nicht für MULTY 2/P	15
1A405070	Maggiorazione Joystick 5 funzioni + NO MOTORI - Extra charge Joystick 5 functions + NO MOTOR Supplément Joystick 5 fonctions + NO MOTEUR - Joystick 5 Funktionen + NO MOTOR Zuschlag	12
1A405270	Maggiorazione Joystick 5 funzioni + ON/OFF MOTORI - Extra charge Joystick 5 functions + ON/OFF MOTOR Supplément Joystick 5 fonctions + ON/OFF MOTEUR - Joystick 5 Funktionen + ON/OFF MOTOR Zuschlag	12
1A405075	Maggiorazione Joystick 6 funzioni + NO MOTORI - Extra charge Joystick 6 functions + NO MOTOR Supplément Joystick 6 fonctions + NO MOTEUR - Joystick 6 Funktionen + NO MOTOR Zuschlag	14
1A405275	Maggiorazione Joystick 6 funzioni + ON/OFF MOTORI - Extra charge Joystick 6 functions + ON/OFF MOTOR Supplément Joystick 6 fonctions + ON/OFF MOTEUR - Joystick 6 Funktionen + ON/OFF MOTOR Zuschlag	14
1A04810S	Radiatore - Oil cooler Refroidisseur - Kühler	4
1A4050810	Serbatoio indipendente olio con RADIATORE E POMPA - Independent oil control unit with OIL COOLER AND PUMP MULTY 2 Unité de contrôle d'huile indépendante avec REFROIDISSEUR ET POMPE - Unabhängiges Ölsteuergerät mit KÜHLER UND PUMPE MULTY 2	80

ALLESTIMENTO PER MULTY 2 - EQUIPMENT FOR MULTY 2 - AMÉNAGEMENT POUR MULTY 2 - EINRICHTUNG FÜR MULTY 2

Descrizione - Description - Description - Beschreibung			COD.	
 Kit attacco BIO SPEED + Stella sarchiante DX/SX per MULTY 2 Kit for BIO SPEED + Mechanical rotor R/L for MULTY 2 Kit de fixation pour BIO SPEED + Herse mécanique D/G pour MULTY 2 BIO SPEED + Fingerhacke R/L für MULTY 2			1A4050100	
Stella - Rotor - Herse - Fingerhacke	Diametro - Diameter - Diamètre - Durchmesser		COD.	Kg
  ● HARD	Ø 37	DESTRO - Right - Droit - Rechts	1U354981	15
		SINISTRO - Left - Gauche - Links	1U354991	
	Ø 54	DESTRO - Right - Droit - Rechts	1U355001	30
		SINISTRO - Left - Gauche - Links	1U355051	
	Ø 70	DESTRO - Right - Droit - Rechts	1U355061	45
		SINISTRO - Left - Gauche - Links	1U355071	
 ● MEDIUM	Ø 54	DESTRO - Right - Droit - Rechts	1U355011	27
		SINISTRO - Left - Gauche - Links	1U355021	
	Ø 70	DESTRO - Right - Droit - Rechts	1U355031	38
		SINISTRO - Left - Gauche - Links	1U355041	
	Ø 100	DESTRO - Right - Droit - Rechts	1U355081	73
		SINISTRO - Left - Gauche - Links	1U355091	
 ● SOFT	Ø 100	DESTRO - Right - Droit - Rechts	1U354961	66
		SINISTRO - Left - Gauche - Links	1U354971	

BIO SPEED	N°			COD.	Kg
	2	10+10	DESTRO - Right - Droit - Rechts	1U35582	35
			SINISTRO - Left - Gauche - Links	1U35587	
	3	18+18	DESTRO - Right - Droit - Rechts	1U35592	41
			SINISTRO - Left - Gauche - Links	1U35597	
	4	26+26	DESTRO - Right - Droit - Rechts	1U35612	53
			SINISTRO - Left - Gauche - Links	1U35617	

Dimensioni di lavoro | Working width | Dimensions de travail | Arbeitsgröße

	 L.TOT MIN - L.TOT MAX	 [cm]	STELLA Ø 54 + BIOSPEED 2 [cm]	STELLA Ø 70 + BIOSPEED 3 [cm]	STELLA Ø 100 + BIOSPEED 4 [cm]	
MULTY 2 COMPACT	30+30		175 - 235	193 - 253	241 - 301	 L. MIN - MAX
MULTY 2	45+45		189 - 279	207 - 297	255 - 345	
MULTY 2	55+55		226 - 336	244 - 354	292 - 402	

CON / with / avec / mit - COD.1A4050000 + 20 cm


ALLESTIMENTO PER MULTY 2 - EQUIPMENT FOR MULTY 2 - AMÉNAGEMENT POUR MULTY 2 - EINRICHTUNG FÜR MULTY 2

MULTY 2 + TCL		COD.		
MOD. TCL Gruppo idraulico con tastatore a semplice effetto Hydraulic sensor device with single effect Tête intercepts avec palpeur simple effet Hydraulische Sensoreinrichtung mit einem Effekt	DESTRO - Right - Droit - Rechts	1037814I	15 lt/min - max 180 bar max	44
	SINISTRO - Left - Gauche - Links	1037816I		
Lama estiva per TCL - Summer blade for TCL Lame intercepts pour TCL - Sommermesser für TCL	L 30 cm DESTRO - Right - Droit - Rechts	1A28530		9
	L 30 cm SINISTRO - Left - Gauche - Links	1A28535		
	L 40 cm DESTRO - Right - Droit - Rechts	1A28540		10
	L 40 cm SINISTRO - Left - Gauche - Links	1A28545		
	L 50 cm DESTRO - Right - Droit - Rechts	1A28550		11
	L 50 cm SINISTRO - Left - Gauche - Links	1A28555		
	L 70 cm DESTRO - Right - Droit - Rechts	1A28570		13
	L 70 cm SINISTRO - Left - Gauche - Links	1A28575		
Aratrino calandrato per TCL - Plough for TCL Decavillonneuse pour TCL - Pflug für TCL	DESTRO - Right - Droit - Rechts	1A28500		13
	SINISTRO - Left - Gauche - Links	1A28505		
Kit Fresino Ø 20 cm + Lama estiva 50 cm Kit Milling cutter Ø 20 cm + Summer blade 50 cm Kit Fraise Ø 20 cm + Lame intercepts 50 cm Kit Fräser Ø 20 cm + Sommermesser 50 cm	DESTRO - Right - Droit - Rechts	1A375056I	30 lt/min - max 180 bar max	53
	SINISTRO - Left - Gauche - Links	1A3750566		

OPTIONAL	COD.	Ø	Kg		COD.	Ø	Kg
	1A375020 1A375025	31	20		1U35380		0,5
	1A375021 1A375026	31	20		1U35360 1U35365		2
	1A375040 1A375045	36	28		1U35370 1U35375		1,5
	1A375010		15		1U35407 1U35408		37
	1A375011		15				

Dimensioni di lavoro | Working width | Dimensions de travail | Arbeitsgröße

	TCL 30	TCL 40	TCL 50	TCL 70	
	L. MIN-MAX	L. MIN-MAX	L. MIN-MAX	L. MIN-MAX	
	[cm]	[cm]	[cm]	[cm]	
MULTY 2 COMPACT	30+30	170 - 230	190 - 220	210 - 270	250 - 310
MULTY 2	45+45	183 - 273	203 - 293	223 - 313	263 - 353
MULTY 2	55+55	220 - 330	240 - 350	260 - 370	300 - 410



CON / with / avec / mit - COD.1A4050000 + 20 cm


ALLESTIMENTO PER MULTY 2 - EQUIPMENT FOR MULTY 2 - AMÉNAGEMENT POUR MULTY 2 - EINRICHTUNG FÜR MULTY 2

MULTY 2 + ATTREZZI - MULTY 2 + TOOLS - MULTY 2 + OUTILS - MULTY 2 + WERKZEUGE

COD.	Descrizione - Description - Description - Beschreibung	COD.	Kg		
	0° ÷ 90° Kit inclinazione 0-90° DX/SX per SPEED GREEN (attrezzo escluso) 0-90 ° L/R inclination kit for SPEED GREEN (tool excluded) Kit d'inclinaison D/G 0-90 ° pour SPEED GREEN (outil exclu) 0-90 ° Neigungsskit R/L für SPEED GREEN (Werkzeug ausgeschlossen)	+2    	1A4050201		
	Kit attacco diretto "C" DX/SX Direct connection kit "C" L/R Kit de connexion directe "C" D/G Direktverbindingssatz "C" R/L	1A4050300	18		
Descrizione - Description - Description - Beschreibung		COD.	Oil	Kg	
	Speed Green 600 800	DESTRO - Right - Droit - Rechts L. 60 cm	1U35421 1U35426	25 lt/min	65
		SINISTRO - Left - Gauche - Links			
		DESTRO - Right - Droit - Rechts L. 80 cm	1U35420 1U35425	25 lt/min	70
		SINISTRO - Left - Gauche - Links			
	Ecology meccanico Ecology mechanic Ecology mécanique Ecology mechaniker	DESTRO - Right - Droit - Rechts L. 30 cm	1U35452 1U35457	30 lt/min	35
		SINISTRO - Left - Gauche - Links			
		DESTRO - Right - Droit - Rechts L. 60 cm	1U35461 1U35466	30 lt/min	40
		SINISTRO - Left - Gauche - Links			
	Spollatore Shoot removing head Empampreuse Rebstammputzer	DESTRO - Right - Droit - Rechts	1U35510	15 lt/min	38
		SINISTRO - Left - Gauche - Links	1U35515		
	Girorami per vigneto Pruning rake for vineyards Andaineur pour vignoble Kehrbesen für weinberge	DESTRO - Right - Droit - Rechts	1U35520	25 lt/min	42
		SINISTRO - Left - Gauche - Links	1U35525		
	Girorami per frutteto Pruning rake for orchard Andaineur pour verger Kehrbesen für obstplantagen	DESTRO - Right - Droit - Rechts	1U35530	25 lt/min	48
		SINISTRO - Left - Gauche - Links	1U35535		
	Dischiera colmatrice folle Ø 46 cm Disc fill in neutral Ø 46 cm Buteuse libre Ø 46 cm Anhäufelscheiben ohne antrieb Ø 46 cm	DESTRO - Right - Droit - Rechts 1 el.	1U35170 1U35175		25
		SINISTRO - Left - Gauche - Links			
		DESTRO - Right - Droit - Rechts 2 el.	1U35180 1U35185		35
		SINISTRO - Left - Gauche - Links			
	Ruota interfilare modello DP Disc mower model DP Tondeuse modèle DP Mähscheibe modell DP	DESTRO - Right - Droit - Rechts Ø 45 cm	1U359360 1U359365	25 lt/min	55
		SINISTRO - Left - Gauche - Links			
		DESTRO - Right - Droit - Rechts Ø 60 cm	1U359350 1U359355	25 lt/min	70
		SINISTRO - Left - Gauche - Links			
		DESTRO - Right - Droit - Rechts Ø 80 cm	1U359340 1U359345	25 lt/min	85
		SINISTRO - Left - Gauche - Links			

Dimensioni di lavoro | Working width | Dimensions de travail | Arbeitsgröße

					
MULTY 2 COMPACT	30+30		230 - 290	247 - 307	220 - 280
MULTY 2	45+45		243 - 333	261 - 351	235 - 325
MULTY 2	55+55		280 - 390	298 - 408	272 - 382



CON / with / avec / mit - COD.1A4050000 + 20 cm

CONFIGURAZIONI - CONFIGURATIONS - CONFIGURATIONS - KONFIGURATIONEN

SERIE MULTY 2 - MULTY 2 SERIES - SÉRIE MULTY 2 - REIHE MULTY 2



COD.	Descrizione - Description - Description - Beschreibung	N°	Kg
1040510S	MULTY 2 / R 45+45	1	220
1A4050000	Kit inclinazione - Tilt kit - Kit d'inclinaison - Kit Neigung DX/SX	1	28
1A04004	Carrello ruote - Front wheels - Châssis de roues - Vorderradwagen	1	15
1A4050101	Kit attacco - Kit for - Kit de fixation Vorbau Kit - BIO SPEED + Stella	1	
1U35592	BIO SPEED DX - 3 dischi - Discs - Disques - Scheiben	1	41
1U35597	BIO SPEED SX - 3 dischi - Discs - Disques - Scheiben	1	41
1U355001	Stella Ø 54 - HARD DESTRO - Right - Droit - Rechts	1	30
1U355051	Stella Ø 54 - HARD SINISTRO - Left - Gauche - Links	1	30



COD.	Descrizione - Description - Description - Beschreibung	N°	Kg
1040505S	MULTY 2 / P 55+55	1	190
1037814I	TCL DESTRO - Right - Droit - Rechts	1	44
1A28550	Lama estiva - Summer blade - Lame interceps - Sommermesser - 50 cm DX	1	11
1U35380	Deflettore - Deflector - Déflecteur - Deflektor	2	1
1U35370	Sponda laterale - Lateral side - Versoir - Seitliche Seite DX	1	1,5
1A375021	Disco anteriore - Front disc - disque avant - vorderen Scheibe DX	1	20
1037816I	TCL SINISTRO - Left - Gauche - Links	1	44
1A28555	Lama estiva - Summer blade - Lame interceps - Sommermesser - 50 cm SX	1	11
1U35380	Deflettore - Deflector - Déflecteur - Deflektor	2	1
1U35375	Sponda laterale - Lateral side - Versoir - Seitliche Seite SX	1	1,5
1A375026	Disco anteriore - Front disc - disque avant - vorderen Scheibe SX	1	20



COD.	Descrizione - Description - Description - Beschreibung	N°	Kg
1040520S	MULTY 2 / F 45+45	1	290
1A405075	Joystick 6 funzioni - 6 fonctions - 6 fonctions - 6 Funktionen	1	14
1A4050300	Kit attacco "C" - "C" Connection - Connexion "C" - Direktverbindingssatz "C"	1	18
1U35452	ECOLOGY L. 30 cm DESTRO - Right - Droit - Rechts	1	35
1U35457	ECOLOGY L. 30 cm SINISTRO - Left - Gauche - Links	1	35