## **MULCH FILM**























## **MULCH FILM**

Production takes place on the most modern multi-layer extruders, based on the principle BLOWN FILM.

We use the most modern materials from the manufacturers.

- SABIC
- DOW CHEMICAL





## **MULCH FILM**

- EARLY HARVEST
- WATER MORE RATIONAL USE
- REDUCES SOIL WASHING AND EROSION
- DEVELOPMENT OF PLANT ROOTS
- THE FRUITS ARE OF HIGHER QUALITY (fruit, leaf..)
- WEED CONTROL
- INSULATOR FROM HEAT AND COLD
- REDUCING THE NUMBER OF INSECTS

## MULCH FILM FOR WATERMELONS

Mulch film for watermelons, melons, peppers, cucumbers...



Thickness: 15-60 mic


Weight: 10-60kg (standard 50 kg)


Inner diameter of cors: 76mm

Thickness: 15 - 60 mic

Weight: 10-60kg

Length: 300-4.000m





### MULCH FILM FOR STRAWBERRIES - BLACK

#### **GENERAL CHARACTERISTICS:**

- Two years old
- Width: Single row 0.8-1.0m Double row 1.2m
- Thickness: 20, 25, 30 and 40 mic
- Length: 500 and 1.000m
- Hole diameter: 5 and 8 cm
- Hole spacing: Single row 18, 20 and 30cm Double row 30\*30, 30\*40 cm
- The inner diameter of the cors: 76 mm




#### **Installation of single-row foil for strawberries**



30 microns thick



40 microns thick





30 microns thick, double row, hole spacing 30x30



#### SILVER BLACK FOIL FOR STRAWBERRIES

Type of foil:

three-layer.

Material type: LLDPE

(Linear Low Density Polyethylene) Elongation at tear (%): MD 260 TD 480

Puncture resistance (g): 168

Width (mm):

1000 (± 1%)

Thickness (µm):

25 (± 5%),

30 (± 5%),

40 (± 5%)

Length (m):

500 (± 1%),

1000 (± 1%)

Arrangement of holes:

Single-row foil

18, 20

and 30 cm



# SILVER BLACK FOIL FOR STRAWBERRIES

Through research, our company focuses on selling reflective (silver/black) mulch that uses the entire light spectrum, which increases the available amount of light and heat for plants, resulting in higher strawberry yields.

In addition to the properties of good conductivity, this film reflects light and has a repellent effect on repelling insects, which therefore protects plants from viruses.



Reflected diffuse light enables more intensive assimilation and greater organic production. Prevents overheating of the corona system of summer crops in conditions of high temperatures. The soil temperature decreases to 10°C.

The silver mulch film reflects light on the lower parts of the plant and increases the effect of photosynthesis and therefore the growth of plants, flowers and fruits.



# Installation of single-row silver-black mulch film for strawberries

- 30 microns thick
- hole to hole distance 20cm





Silver-black foil for vegetables (tomatoes, peppers, watermelon, cucumber, zucchini..)
15microns thick
1000m long
1m wide

MULCH FILM - lettuce, rocket, chives, onions...

#### **GENERAL CHARACTERISTICS**

**Durability:** one season

Width: multi-row 0.8-3.0m

Thickness: 20 mic

**Length:** package 100 and 125m<sup>2</sup> with a 2m and 2.5m width.

package 150 m<sup>2</sup> width 3 m

Hole diameter: 5cm

Hole spacing: 10\*10, 20\*20, 25\*20, 25\*25 and 30\*30

Hole arrangement: parallel and zig-zag

Inner diameter of sleeve: 76 mm

#### **ADDITIONAL REQUIREMENTS:**

Hole spacing: from 10\*10 to 60\*60 cm

**Width:** 0.8-1.6 m

Thickness: 30-60 mic

**Length:** 500-2000m



## Placing mulch film for green salad in the field, 20 microns thick, 2,5m wide, 500m long





Placing a mulch film package for green salad, 20 micron thick, 2m wide, 50m long



#### **HOBBY PROGRAM**

**Pollino Plast** has launched a hobby program of mulch film and irrigation tapes for gardens and small producers.

We pack irrigation tapes in **100m** and **500m**. We pack mulch films in **50m** lengths.

The differences in foil are in width, thickness and perforation.

Standard mulch film (for pepper, tomato, cucumber, melon, zucchini) of 20 microns has width differences of 0.8m, 1m and 1.2m.

Strawberry foil:

- 1m width 30 microns single row, hole perforation 20cm
- 1.2m wide double row 30 micron thick, perforation 30x30 Foil for green salad:
- 2m wide, 20 microns thick, perforation 25x25
- 2.5m wide, 20microns thick, perforation 25x25
- 3m wide, 20 microns thick, perforation 25x25

All features are subject to change at the customer's request.



