

PRECISION FARMING SOLUTIONS



DORADO EVO **SECTOR PRO**

for Planters

HIGH-TECH SYSTEM FOR PLANTERS



DORADO EVO Sector PRO



Here is the new born in MC Elettronica!

Dorado Evo is a system for planters, designed to manage **up to 12 seeding rows** with analogue seed sensors.

The use of special **3Wires-BUS** seed sensors of the MC range allows you to increase the number of rows monitored up to a maximum of 48.

The acoustic signal, coupled with the renewed graphic interface, allows an easy and intuitive monitoring of all seed sensors.

The display modes are: **histograms mode**, with the indication of doubles or skips; **tabular mode** with indication of the instantaneous values of distance/average seeding population. In both modalities, the data are calculated row by row.

In Dorado EVO, the simplicity becomes an advantage: the VT is the only component to which all the sensors are connected because the ECU is integrated in the monitor.

With the implementation of the **new SECTOR PRO function** it is possible to **exclude individual seeding rows** in a completely independent way, enabling the management of complex situations such as field edges, obstacles, tramlines.

The performance guaranteed by the Dorado EVO system combined with its low installation costs place it at the top of the market.

DORADO EVO SECTOR PRO FOR PLANTERS



Precision Farming Solutions




FEATURES AND ADVANTAGES

- ✓ **Linear aesthetic** to optimize space, **ergonomicity** to facilitate use and a full touch display to simplify setting operations.
- ✓ **ALL IN ONE solution**: the system control unit is integrated into the monitor allowing a simplified installation, **managing up to 48 photocells at the same time**.
- ✓ The reading of the data allows to obtain the seeding quality statistic, **according to the ISO 7256-1 standard**.
- ✓ **SECTOR PRO ECU rows esclusion** and **UC 50 control unit** for managing the single seeding row exclusion functionality



Example standard 12 rows



Precision Farming Solutions