

ECO TYPE ECO-03SM MECHANISM

Universal Fitting

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **80mm Suspension Stroke**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **102° Base Angle**

Weight Adjustment Knob



Fore/Aft Handle

Universal Base Plate



Couple
Springs








Hydraulic
Shock
Absorber



Fore/aft
Adjustment



Manual
Weight
Adjustment



ECO TYPE

ECO - 11SM MECHANISM

MULTI-FUNCTIONAL MECHANISM - Universal Fitting

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **80mm Suspension Stroke**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **Multi Angle Base for 5 Position**

Weight Adjustment Knob



Angle Holes

Fore/Aft Handle

Universal Base Plate



Couple
Springs



Hydraulic
Shock
Absorber



Fore/aft
Adjustment



Manual
Weight
Adjustment



Wraparound Backrest

ECO 110

C. Width
Backrest 485mm
570mm

Base Angle

102°-116°-118°-120°-142°



ECO 111

C. Width
Backrest 485mm
480mm

Base Angle

102°-116°-118°-120°-142°



- * Plastic Construction
- * Corrosion Resistant



ECO 11139

C. Width
Backrest 390mm

Base Angle

102°-116°-118°-120°-142°

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant



ECO 111P

C. Width
Backrest 420mm
445mm

Base Angle

102°-116°-118°-120°-142°

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant



- * Metal Construction (Wraparound BACKREST)
- * Plastic Construction (Seat Cushion) Corrosion Resistant

ECO 110P

C. Width
Backrest 445mm
565mm

Base Angle

102°-116°-118°-120°-142°

Without PVC Seal Strips



ECO 11145

C. Width
Backrest 450mm

Base Angle

102°-116°-118°-120°-142°

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant



ECO P1145

C. Width
Backrest 450mm

Base Angle

102°-116°-118°-120°-142°

The seat mechanism has a multifunctional structure as provide various angles. This feature support fast and easy fixing according to the mounting angle of your vehicle for multiple holes.



ECO TYPE

11-05SM MECHANISM

MULTI-FUNCTIONAL MECHANISM - Universal Fitting

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **80mm Suspension Stroke**
- **30mm Height Adjustment**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **Multi Angle Base for 5 Position**

Weight Adjustment Knob



Couple
Springs



Hydraulic
Shock
Absorber



Height
Adjustment



Fore/aft
Adjustment



Manual
Weight
Adjustment

MULTI-FUNCTIONAL MECHANISM

Angle and Height Adjustment

Without PVC Seal Strips



ST 11-05BS

C. Width
Backrest 490mm 480mm

Height Adjustment

30mm

Base Angle

102°-116°-118°-120°-142°



ST 11-0545

C. Width
Backrest 450mm 450mm

Height Adjustment

30mm

Base Angle

102°-116°-118°-120°-142°



Without PVC Seal Strips

- * Plastic Construction
- * Corrosion Resistant



ST 11-0545P

C. Width
Backrest 450mm 450mm

Height Adjustment

30mm

Base Angle

102°-116°-118°-120°-142°



STAR TYPE 03SM MECHANISM

Universal Fitting

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **80mm Suspension Stroke**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **102° Base Angle**

Weight Adjustment Knob



STRONGER CONSTRUCTION



Couple
Springs



Hydraulic
Shock
Absorber



Fore/aft
Adjustment



Manual
Weight
Adjustment



ST 03

C. Width
Backrest 485mm
480mm



Wraparound Backrest

ST 04

C. Width
Backrest 485mm
570mm



ST 03BS

C. Width
Backrest 490mm
480mm

Without PVC Seal Strips



* Plastic Construction
* Corrosion Resistant



Lower
Seating
Position

ST 0339

C. Width
Backrest 390mm

Without PVC Seal Strips



ST 0342

C. Width
Backrest 420mm

Without PVC Seal Strips



ST 0345

C. Width
Backrest 450mm



Pan Type Seat
Overturnable Cushion
Water Drainage System

ST C11

C. Width
Backrest 490mm



Pan Type Seat
Overturnable Cushion
Water Drainage System

ST GC11

C. Width
Backrest 390mm



For STEYR

ST 08

C. Width
Backrest 485mm
480mm



For STEYR

Wraparound Backrest

ST 08A

C. Width
Backrest 485mm
570mm



For STEYR

Pan Type Seat
Water Drainage System

ST C08

C. Width
Backrest 485mm
490mm



For JOHN DEERE

ST 09

C. Width
Backrest 485mm
480mm




For JOHN DEERE

Wraparound Backrest

ST 09A

C. Width
Backrest 485mm
570mm



For JOHN DEERE

Pan Type Seat
Overturnable Cushion
Water Drainage System

ST C09

C. Width
Backrest 485mm
490mm



Pan Type Seat
Overturnable Cushion
Water Drainage System

ST CMF11

C. Width
Backrest 560mm



STAR TYPE 11SM MECHANISM

Universal Fitting

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **80mm Suspension Stroke**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **Multi Angle Base for 5 Position** 102°-116°-118°-120°-142°

Weight Adjustment Knob



STRONGER CONSTRUCTION



Couple
Springs



Hydraulic
Shock
Absorber



Fore/aft
Adjustment



Manual
Weight
Adjustment



Angle Holes
(5 Positions)

Fore/Aft Handle

Universal Base Plate



Wraparound Backrest

ST 10

C. Width
Backrest 485mm
570mm



ST 11

C. Width
Backrest 485mm
480mm



ST 11BS

C. Width
Backrest 490mm
480mm

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant



ST 1139

C. Width
Backrest 390mm

Without PVC Seal Strips



ST 1142

C. Width
Backrest 420mm

Without PVC Seal Strips



ST 1145

C. Width
Backrest 450mm



Without PVC Seal Strips




- * Plastic Construction
- * Corrosion Resistant



ST P1145

C. Width
Backrest 450mm



Foldable Seat Cushion

ST 11DS

C. Width
Backrest 485mm
480mm



ST 11BS-07BE

C. Width
Backrest 490mm
480mm

Backrest Extension (SP01)

Standart

Foldable Armrest (YP15)

Standart



ST 11-TV1

C. Width
Backrest 475mm
450mm

Backrest Adjustment

Back: 30° | Front: 85°



Pan Type Seat
Overturnable Cushion
Water Drainage System

ST C10

C. Width
Backrest 490mm

Base Angle

102°-116°-118°-120°-142°



Pan Type Seat
Overturnable Cushion
Water Drainage System

ST GC10

C. Width
Backrest 390mm

Base Angle

102°-116°-118°-120°-142°

STAR TYPE 05/06SM MECHANISM

Homologation Series

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **100mm Suspension Stroke**
- **60mm Height Adjustment**
- **150mm Sliding Base Adjustment**
- **50-120kg Operator Weight Adjustment**
- **102° Base Angle**
- **1322/2014 (2018/830W2) EEC Homologation Certification**

Weight Adjustment Knob



STRONGER CONSTRUCTION



Couple
Springs



Hydraulic
Shock
Absorber



Height
Adjustment



Fore/aft
Adjustment



Manual
Weight
Adjustment



Height Adjustment
Knob
60mm





Wraparound Backrest

ST 05

C. Width
Backrest 485mm
570mm



ST 05BS

C. Width
Backrest 490mm
480mm



ST 06

C. Width
Backrest 485mm
480mm

Without PVC Seal Strips



ST 0639

C. Width
Backrest 390mm



Without PVC Seal Strips



ST 0642

C. Width
Backrest 420mm



Without PVC Seal Strips



ST 0645

C. Width
Backrest 450mm



Without PVC Seal Strips



ST P0645

C. Width
Backrest 450mm





40

35 30 25 20 15 10 5 0

100 90 80 70 60 50 40 30 20 10 0

100 90 80 70 60 50 40 30 20 10 0

100 90 80 70 60 50 40 30 20 10 0

100 90 80 70 60 50 40 30 20 10 0

ST 05-TV140

C. Width Backrest 400mm

Backrest Adjustment

Back: 30° | Front: 85°

Seat Cushion Depth Adj.

40mm



40mm

Seat Cushion Depth Adj.



ST 05-TV1

C. Width Backrest 475mm 430mm

Backrest Adjustment

Back: 30° | Front: 85°



Pan Type Seat
Water Drainage System

ST GC05

C. Width Backrest 390mm



Foldable Cushion

ST 13DS-05MP

C. Width Backrest 485mm 480mm

For DEUTZ



Pan Type Seat
Water Drainage System

ST C05

C. Width Backrest 490mm