


HOMOLOGATED | Scissor Type, Narrow Mechanical Suspension

- **Mechanical Suspension** with four springs & hydraulic shock-absorber
- **100mm Suspension Stroke**
- **80mm Height Adjustment**
- **50-130kg Operator Weight Adjustment**
- **Universal Fixed Base**
- **1322/2014 (2018/830W2) EEC Homologation Certification**



Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant
- * Without PVC Seal Strips



Anti-Corrosion

STplus V39

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V42

C. Width
Backrest **FIXED** 420mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V45

C. Width
Backrest **FIXED** 450mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant
- * Without PVC Seal Strips



STplus PV45

C. Width
Backrest **FIXED** 450mm

Fore/aft Adjustment

min. 150mm



STplus V03

C. Width
Backrest **FIXED** 485mm
480mm

Fore/aft Adjustment

min. 150mm



STplus BSV1

C. Width
Backrest **FIXED** 490mm
470mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System

STplus GC11

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System

STplus C11

C. Width
Backrest **FIXED** 490mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System
Plastic Construction For Seat Top

STplus TV1846

C. Width
Backrest **FIXED** 460mm

Fore/aft Adjustment

min. 150mm

Anti-Corrosion



STplus TV1

Cushion Width
Backrest 475mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV1-LX

Cushion Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV140

C. Width
Backrest 400mm

Fore/aft Adjustment



min. 150mm

Backrest Adjustment

Back: 30° Front: 85°

Seat Cushion Depth Adj.

40mm



Seat Cushion Depth Adj.



Backrest Adjustment

Depth Adjustment



Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1600

C. Width
Backrest **FIXED** 510mm
495mm

Fore/aft Adjustment min. 125mm

Backrest Adjustment Back: 80° | Front: 30°



Short Backrest

Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1650

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock) min. 125mm

Backrest Adjustment Back: 42° | Front: 5°

Certification M2-M3 | N2-N3



Long Backrest

Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1730

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock) min. 125mm

Backrest Adjustment Back: 42° | Front: 5°

Certification M2-M3 | N2-N3



Adjustable Armrest
20mm

Adjustable Seat Cushion
(Fore and Aft. 70mm)



Lumbar Adjustment



3P Automatic Seat Belt



Standard Covering

