



STARplus TYPE

SP12-TV4 MECHANISM

HOMOLOGATED | Scissor Type, Wide Mechanical Suspension

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **100mm Suspension Stroke**
- **80mm Height Adjustment**
- **50-150kg Operator Weight Adjustment**
- **Universal Fixed Base**
- **1322/2014 (2018/830W2) EEC Homologation Certification**



Height Adjustment Knob

Weight Adjustment Knob

Weight Adjustment Indicator



Couple
Springs



Hydraulic
Shock
Absorber



Height
Adjustment



Manual
Weight
Adjustment



LOW
Frequency
Mechanism



STplus TV4

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV4-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4600

C. Width
Backrest **FIXED** 510mm
495mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 80° | Front: 30°



NEW



STplus TV4-LX 3CTRL

C. Width
Backrest 520mm
445mm

Fore/aft Adjustment	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



3CTRL
ADJUSTMENT
Depth | Tilt | Backrest



NEW



STplus TV4700 3CTRL

C. Width
Backrest 520mm
495mm

Fore/aft Adjustment	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



NEW



STplus TV4700

C. Width
Backrest 500mm
495mm

Fore/aft Adjustment (With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4650

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3



Long Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4730

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3

Standard Covering



Adjustable Seat Cushion
(Fore and Aft: 70mm)



3P Automatic Seat Belt



Lumbar Adjustment



Adjustable Armrest
20mm

