

STARplus TYPE

SP12-TV1 MECHANISM

HOMOLOGATED | Scissor Type, Narrow Mechanical Suspension


- Mechanical Suspension with four springs & hydraulic shock-absorber
- 100mm Suspension Stroke
- 80mm Height Adjustment
- 50-130kg Operator Weight Adjustment
- Universal Fixed Base
- 1322/2014 (2018/830W2) EEC Homologation Certification



Height Adjustment Knob

Weight Adjustment Knob

Weight Adjustment Indicator



Four Springs



Hydraulic Shock Absorber



Height Adjustment



Manual Weight Adjustment



LOW Frequency Mechanism

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant
- * Without PVC Seal Strips



Anti-Corrosion

STplus V39

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V42

C. Width
Backrest **FIXED** 420mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V45

C. Width
Backrest **FIXED** 450mm

Fore/aft Adjustment

min. 150mm



Special Design



STplus V03

C. Width
Backrest **FIXED** 485mm
480mm

Fore/aft Adjustment

min. 150mm



STplus BSV1

C. Width
Backrest **FIXED** 490mm
470mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips

NEW
GENERATION



Pan Type Seat
Water Drainage System

STplus GC11

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System

STplus C11

C. Width
Backrest **FIXED** 490mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System
Plastic Construction For Seat Top

STplus TV1846

C. Width
Backrest **FIXED** 460mm

Fore/aft Adjustment

min. 150mm

Anti-Corrosion



STplus TV1

Cushion Width
Backrest 475mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV1-LX

Cushion Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV140

C. Width
Backrest 400mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° Front: 85°

Seat Cushion Depth Adj.

40mm



Backrest Adjustment

Depth Adjustment



Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1600

C. Width
Backrest **FIXED** 510mm
495mm

Fore/aft Adjustment

min. 125mm

Backrest Adjustment

Back: 80° | Front: 30°



Short Backrest

Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1650

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock)

min. 125mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3



Long Backrest

Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV1730

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock)

min. 125mm

Backrest Adjustment


Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3



Adjustable Armrest
20mm



Adjustable Seat Cushion
(Fore and Aft: 70mm)



Lumbar Adjustment



3P Automatic Seat Belt



Standard Covering

SPRINTER CLOTH
Cloth Upholstery


BLACK CLOTH
Cloth Upholstery

STARplus TYPE

SP12-TV4 MECHANISM

HOMOLOGATED | Scissor Type, Wide Mechanical Suspension

- **Mechanical Suspension** with couple springs & hydraulic shock-absorber
- **100mm Suspension Stroke**
- **80mm Height Adjustment**
- **50-150kg Operator Weight Adjustment**
- **Universal Fixed Base**
- **1322/2014 (2018/830W2) EEC Homologation Certification**



Height Adjustment Knob

Weight Adjustment Knob

Weight Adjustment Indicator



Couple Springs



Hydraulic Shock Absorber



Height Adjustment



Manual Weight Adjustment



LOW Frequency Mechanism



STplus TV4

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV4-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4600

C. Width
Backrest 510mm
495mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 80° | Front: 30°



NEW



STplus TV4700

C. Width
Backrest 500mm
495mm

Fore/aft Adjustment (With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4650

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3



Long Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV4730

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3

Standard Covering



Adjustable Seat Cushion
(Fore and Aft. 70mm)



3P Automatic Seat Belt



Lumbar Adjustment



Adjustable Armrest
20mm



NEW



3CTRL
ADJUSTMENT
Depth | Tilt | Backrest



STplus TV4-LX 3CTRL

C. Width
Backrest 520mm
445mm

Fore/aft Adjustment (With Double Lock)	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



NEW



STplus TV4700 3CTRL

C. Width
Backrest 520mm
495mm

Fore/aft Adjustment (With Double Lock)	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



PRO Seat Range



**NEW
COLLECTION**

**3CTRL
ADJUSTMENT**
Depth | Tilt | Backrest



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV4-LX 3CTRL/PRO	C. Width Backrest	550mm 450mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	
Seat Cushion Depth Adjustment	40mm	
Seat Cushion Tilt Adjustment	6°	



Trim Upholstery Vinyl / Cloth (cut&sew)


STplus TV4700 3CTRL/PRO	C. Width Backrest	550mm 500mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	
Seat Cushion Depth Adjustment	40mm	
Seat Cushion Tilt Adjustment	6°	

STARplus TYPE

SP12-TV2 MECHANISM

HOMOLOGATED | Scissor Type, Narrow Pneumatic Suspension

- **Pneumatic Suspension** with air spring & hydraulic shock-absorber
With 12V or 24V | 9A Built-In Compressor
- 80mm Suspension Stroke
- 50-150kg Manuel Operator Weight Adjustment
- Universal Fixed Base
- **1322/2014 (2018/830W2) EEC Homologation Certification**



Air
Springs



Hydraulic
Shock
Absorber



Weight
Adjustment



LOW
Frequency
Mechanism

Without PVC Seal Strips



- * Plastic Construction
- * Corrosion Resistant
- * Without PVC Seal Strips



Anti-Corrosion

STplus V39AIR

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V42AIR

C. Width
Backrest **FIXED** 420mm

Fore/aft Adjustment

min. 150mm

Without PVC Seal Strips



STplus V45AIR

C. Width
Backrest **FIXED** 450mm

Fore/aft Adjustment

min. 150mm



STplus V03AIR

C. Width
Backrest **FIXED** 485mm
480mm

Fore/aft Adjustment

min. 150mm



STplus BSV2

C. Width
Backrest **FIXED** 490mm
470mm

Fore/aft Adjustment

min. 150mm



Without PVC Seal Strips

**NEW
GENERATION**



Pan Type Seat
Water Drainage System

STplus GC12

C. Width
Backrest **FIXED** 390mm

Fore/aft Adjustment

min. 150mm



Pan Type Seat
Water Drainage System

STplus C12

C. Width
Backrest **FIXED** 490mm

Fore/aft Adjustment

min. 150mm



STplus TV2

Cushion Width
Backrest 475mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV2-LX

Cushion Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°

NEW



Backrest Adjustment

Depth Adjustment

STplus TV240

C. Width
Backrest 400mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° Front: 85°

Seat Cushion Depth Adj.

40mm



Seat Cushion Depth Adj.




STARplus TYPE

SP12-TV3 MECHANISM

HOMOLOGATED | Scissor Type, Wide Pneumatic Suspension

- **Pneumatic Suspension** with air spring & hydraulic shock-absorber
With 12V or 24V | 9A Built-In Compressor
- 140mm Suspension Stroke
- 50-150kg Automatic Operator Weight Adjustment
- Fore/Aft Isolator With Damper 35mm Travel
- Universal Fixing Base
- **1322/2014 (2018/830W2) EEC Homologation Certification**

Fore/Aft Isolator
Handle



Paddle Valve Button

Power Cable



Air
Springs



Hydraulic
Shock
Absorber



Fore/aft
Isolator



Automatic
Weight
Adjustment



LOW
Frequency
Mechanism



STplus TV3

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°

STplus TV3-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°

NEW

3CTRL ADJUSTMENT Depth | Tilt | Backrest



Depth
Adjustment

Tilt Adjustment

Backrest
Adjustment

STplus TV3-LX 3CTRL

C. Width
Backrest 520mm
445mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°

Seat Cushion Depth Adjustment

40mm

Seat Cushion Tilt Adjustment

6°

NEW



Backrest
Adjustment

Depth
Adjustment

STplus TV340

C. Width
Backrest 400mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°

Seat Cushion Depth Adjustment

40mm



Seat Cushion Depth Adj.



NEW



3CTRL
ADJUSTMENT
Depth | Tilt | Backrest



STplus TV3700

C. Width Backrest 500mm
495mm

Fore/aft Adjustment (With Double Lock) min. 190mm

Backrest Adjustment Back: 30° | Front: 85°

NEW



STplus TV3700 3CTRL

C. Width Backrest 520mm
495mm

Fore/aft Adjustment (With Double Lock) min. 190mm

Backrest Adjustment Back: 30° | Front: 85°

Seat Cushion Depth Adjustment 40mm

Seat Cushion Tilt Adjustment 6°



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV3650

C. Width Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock) min. 190mm

Backrest Adjustment Back: 42° | Front: 5°

Certification M2-M3 | N2-N3



Long Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus TV3730

C. Width Backrest 475mm
465mm

Fore/aft Adjustment (With Double Lock) min. 190mm

Backrest Adjustment Back: 42° | Front: 5°

Certification M2-M3 | N2-N3

Adjustable Seat Cushion



Fore and Aft: 70mm

Lumbar Adjustment



Adjustable Armrest



20mm

3P Automatic Seat Belt



Standard Covering



SPRINTER CLOTH
Cloth Upholstery

BLACK CLOTH
Cloth Upholstery

PRO

Seat Range



NEW
COLLECTION

3CTRL
ADJUSTMENT
Depth | Tilt | Backrest



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV3-LX 3CTRL/PRO	C. Width Backrest	550mm 455mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	
Seat Cushion Depth Adjustment	40mm	
Seat Cushion Tilt Adjustment	6°	



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV3700 3CTRL/PRO	C. Width Backrest	550mm 500mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	
Seat Cushion Depth Adjustment	40mm	
Seat Cushion Tilt Adjustment	6°	

STARplus TYPE

SP12-TV5 MECHANISM

HOMOLOGATED | Scissor Type, Wide Pneumatic Suspension


- **Pneumatic Suspension** with air spring & hydraulic shock-absorber
With 12V or 24V | 9A Built-In Compressor
- 80mm Suspension Stroke
- 50-150kg Manuel Operator Weight Adjustment
- Fore/Aft Isolator 35mm Travel
- Universal Fixing Base
- **1322/2014 (2018/830W2) EEC Homologation Certification**

Fore/Aft Isolator



Power Cable

Paddle Valve Button



Air
Springs



Hydraulic
Shock
Absorber



Fore/aft
Isolator



Automatic
Weight
Adjustment



LOW
Frequency
Mechanism



STplus TV5

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV5-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



3CTRL ADJUSTMENT Depth | Tilt | Backrest



STplus TV5700

C. Width
Backrest 500mm
495mm

Fore/aft Adjustment (With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV5700 3CTRL

C. Width
Backrest 520mm
495mm

Fore/aft Adjustment (With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°

Seat Cushion Depth Adjustment

40mm

Seat Cushion Tilt Adjustment

6°

PRO Seat Range



**NEW
COLLECTION**

**3CTRL
ADJUSTMENT**
Depth | Tilt | Backrest



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV5-LX 3CTRL/PRO

C. Width
Backrest 550mm
455mm

Fore/aft Adjustment (With Double Lock)	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV5-LX 3CTRL/PRO

C. Width
Backrest 550mm
455mm

Fore/aft Adjustment (With Double Lock)	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°

STARplus TYPE

SP12-TV6 MECHANISM


HOMOLOGATED | Scissor Type, Wide Pneumatic Suspension

- **Pneumatic Suspension** with air spring & hydraulic shock-absorber
With 12V or 24V | 9A Built-In Compressor
- 80mm Suspension Stroke
- 50-150kg Manuel Operator Weight Adjustment
- Universal Fixing Base
- **1322/2014 (2018/830W2) EEC Homologation Certification**



Paddle Valve Button

Power Cable



Air
Springs



Hydraulic
Shock
Absorber



Fore/aft
Isolator



Automatic
Weight
Adjustment



LOW
Frequency
Mechanism



STplus TV6

C. Width
Backrest

475mm
430mm

Fore/aft Adjustment

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus TV6-LX

C. Width
Backrest

485mm
475mm

Fore/aft Adjustment

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°




STARplus TYPE SP12-FSV1LS MECHANISM


Scissor Type, LOW Mechanical Suspension

- LOW Mechanical Suspension with couple springs & hydraulic shock-absorber
- 40mm Suspension Stroke
- 50-130kg Operator Weight Adjustment
- Universal Fixed Base

Weight Adjustment Knob



Weight Adjustment Indicator



Couple
Springs



Hydraulic
Shock
Absorber



LOW
Mechanical
Suspension



Manual
Weight
Adjustment



LOW
Frequency
Mechanism



STplus FSV1LS

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus FSV1LS-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus FSV140LS

C. Width
Backrest 400mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° Front: 85°

Seat Cushion Depth Adj.

40mm



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus FSV1650LS

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3

Adjustable Seat Cushion



Fore and Aft: 70mm

Lumbar Adjustment



Adjustable Armrest



20mm



3P Automatic Seat Belt



STARplus TYPE SP12-FSV2LS MECHANISM

HOMOLOGATED | Scissor Type, LOW Pneumatic Suspension

- **LOW Pneumatic Suspension** with AIR spring & hydraulic shock-absorber
With 12V or 24V | 9A Built-In Compressor
- 50mm Suspension Stroke
- 50-150kg Manuel Operator Weight Adjustment
- Universal Fixed Base
- 1322/2014 (2018/830W2) EEC Homologation Certification



AIR Spring	Hydraulic Shock Absorber	LOW Pneumatic Suspension	Weight Adjustment	LOW Frequency Mechanism



STplus FSV2LS

C. Width
Backrest 475mm
430mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



STplus FSV2LS-LX

C. Width
Backrest 485mm
475mm

Fore/aft Adjustment

min. 150mm

Backrest Adjustment

Back: 30° | Front: 85°



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus FSV2650LS

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3

Adjustable Seat Cushion



Fore and Aft: 70mm

Lumbar Adjustment



Adjustable Armrest



20mm

3P Automatic Seat Belt




STARplus TYPE SP12-DRV3 MECHANISM

Scissor Type, AIR Suspension

- Automatic AIR Suspension with AIR spring & hydraulic shock-absorber
- 100mm Suspension Stroke
- 60mm Height & Tilt Adjustment
- Quick Release with ON/OFF Button
- 50-150kg Automatic Operator Weight Adjustment
- Universal Fixed Base



Tilt Adjustment
Handle



Adjustable Shock Absorber
(Five Level - Light to Heavy)

Air Hose



Quick Release with
ON/OFF Button



AIR
Springs



Hydraulic
Shock
Absorber



Height
Adjustment



Tilt
Adjustment



Automatic
Weight
Adjustment



LOW
Frequency
Mechanism



Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus DRV3650	C. Width Backrest	475mm 465mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 42° Front: 5°	
Certification	M2-M3 N2-N3	

SEAT TILT ADJUSTMENT FOR BETTER COMFORT WHILE WORKING IN STEEP ANGLES.

Adjustable Seat Cushion
(Fore and Aft. 70mm)



3P Automatic Seat Belt



Long Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus DRV3730	C. Width Backrest	475mm 465mm
Fore/aft Adjustment (With Double Lock)	min. 190mm	
Backrest Adjustment	Back: 42° Front: 5°	
Certification	M2-M3 N2-N3	

Lumbar Adjustment



Backrest Adjustment



Adjustable Armrest



Standard Covering





Short Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus DRV3650SO

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3

SEAT TILT ADJUSTMENT FOR BETTER COMFORT WHILE WORKING IN STEEP ANGLES.

Adjustable Shock Absorber
(Five Level - Light to Heavy)



3P Automatic Seat Belt



Long Backrest
Trim Upholstery - Vinyl / Cloth (cut&sew)

STplus DRV3730SO

C. Width
Backrest 475mm
465mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 42° | Front: 5°

Certification

M2-M3 | N2-N3


Lumbar Adjustment



Backrest Adjustment



Adjustable Armrest



Standard Covering



SPRINTER CLOTH
Cloth Upholstery



BLACK CLOTH
Cloth Upholstery

STARplus TYPE | Operator Seat


SP091JCS MECHANISM

Joystick Control Box Set

- Mechanical Suspension & Pneumatic Suspension & W/O Suspension
- Pneumatic Suspension
- W/O Suspension
- Double Fore/Aft Adjustment (With Double Lock)
- Moulded control pods to carry controls or joystick
 - Right Side is Fixed
 - Left Side, Switch Controlled and Gas Spring

DESIGN FOR MAXIMUM COMFORT


A system that will accommodate all operators comfortably and achieve the intended requirements for safe operation.



1- Convenient Usage

The powerful and ergonomic gas spring makes the joystick console as mobile. An integrated safety switch ensures safe electronic communication with the console.

Joystick Console



Fore/Aft Adjustment (With Double Lock)

Fore/Aft Adjustment (With Double Lock)

2- Seat Forward/Backward Mechanism

The mechanism can be fixed on mounting stand or other system, allowing you to smoothly and precisely adjust the forward and backward distance of the upper part of the seat with console.

3- Seat Forward/Backward Mechanism

The mechanism allows you to smoothly and precisely adjust the forward and backward distance of the upper part of the seat.



PNEUMATIC SUSPENSION

STplus TV3-LXJ

C. Width
Backrest

485mm
475mm

Fore/aft Adjustment
(With Double Lock)

First : min. 190mm
Second: min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



MECHANICAL SUSPENSION

STplus TV4-LXJ

C. Width
Backrest

485mm
450mm

Fore/aft Adjustment
(With Double Lock)

First : min. 190mm
Second: min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



MECHANICAL SUSPENSION

STplus TV4-LX / YP28-JCB

C. Width
Backrest

485mm
475mm

Fore/aft Adjustment
(With Double Lock)

min. 190mm

Backrest Adjustment

Back: 30° | Front: 85°



PRO Seat Range



**NEW
COLLECTION**

**3CTRL
ADJUSTMENT**
Depth | Tilt | Backrest



Trim Upholstery Vinyl / Cloth (cut&sew)

STplus TV4-LX J3CTRL/PRO

C. Width
Backrest 550mm
445mm

Fore/aft Adjustment (With Double Lock)	min. 190mm
Backrest Adjustment	Back: 30° Front: 85°
Seat Cushion Depth Adjustment	40mm
Seat Cushion Tilt Adjustment	6°



NEW

* Joystick handle
not provide



MECHANICAL SUSPENSION

STplus TV4700-J	C. Width Backrest	500mm 495mm
Fore/aft Adjustment (With Double Lock)	First : min. 190mm Second: min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	

NEW

* Joystick handle
not provide



MECHANICAL SUSPENSION
Trim Upholstery Vinyl / Cloth (cut&sew)

3CTRL
ADJUSTMENT
Depth | Tilt | Backrest

STplus TV4700-J 3CTRL	C. Width Backrest	520mm 495mm
Fore/aft Adjustment (With Double Lock)	First : min. 190mm Second: min. 190mm	
Backrest Adjustment	Back: 30° Front: 85°	
Seat Cushion Depth Adjustment	40mm	
Seat Cushion Tilt Adjustment	6°	



PNEUMATIC SUSPENSION
Trim Upholstery - Vinyl / Cloth (cut&sew)

Short Backrest

STplus TV3650J	C. Width Backrest	475mm 465mm
Fore/aft Adjustment (With Double Lock)	First : min. 190mm Second: min. 190mm	
Backrest Adjustment	Back: 42° Front: 5°	
Certification	M2-M3 N2-N3	



MECHANICAL SUSPENSION
Trim Upholstery - Vinyl / Cloth (cut&sew)

Short Backrest

STplus TV4650J	C. Width Backrest	475mm 465mm
Fore/aft Adjustment (With Double Lock)	First : min. 190mm Second: min. 190mm	
Backrest Adjustment	Back: 42° Front: 5°	
Certification	M2-M3 N2-N3	